



Hi,

I'm lke, @BlacklkeEagle on Twitter

Developer / Operations at Studio Emma



internet expertise





#### Profiling

is the process of application runtime characteristics measurement for performance analysis and optimization







- where



- where
- what



- where
- what
- how much



- define fast



- define fast
- can it handle a Burst?



- define fast
- can it handle a Burst?
- Optimizing has Benifits





No profiler needed, I know where the Bottleneck is.



No profiler needed, I know where the Bottleneck is.

Nope, that's shooting in the dark





Execution time



Execution time CPU time



Execution time CPU time Memory usage



Execution time CPU time Memory usage Disk 10



Execution time
CPU time
Memory usage
Disk 10
Network time



Execution time CPU time Memory usage Disk 10 Network time External delays

## How can we profile





PHP?



# PHP? Thats not really profiling

```
<?php

$start = microtime(true);
// ...
$this->code();
// ...
$time = microtime(true) - $start;
```




Ydebug php extension


Some configuration needed

External tool to analyze

xdebug.profiler\_enable=1 xdebug.profiler\_output\_dir=/xdebug

xdebug.profiler\_output\_name=cachegrind.out.%u





It's Hard





Configuration needed Yhqui to view and compare

Tideways php extension

extension=tideways.so

tideways.auto\_prepend\_library=0

auto\_prepend\_file=/usr/share/xhprof/prepend.php

```
<?php
if (extension_loaded('tideways')) {
    tideways_enable(
        TIDEWAYS_FLAGS_CPU
          TIDEWAYS_FLAGS_MEMORY
          TIDEWAYS_FLAGS_NO_SPANS
    );
    register_shutdown_function(
        function() {
            ignore_user_abort(true);
            flush();
            $data['profile'] = tideways_disable();
```



#### Looks like you haven't done any profiling


To get started with XHGUI you'll need to collect some profiling data.

The simplest way to get an application profiled, is to use external/header.php. This file is designed to be combined with PHP's auto\_prepend\_file directive. This can be enabled system-wide through php.ini. Alternatively, you can enable auto\_prepend\_file per virtual host. See the README.md file for more details.

© Paul Reinheimer & Mark Story 2012

 $1,000,000 \ \mu s = 1 \ second$ 

1,048,576 bytes = 1 MB




Method	OKE	Time	wt	сри	IIIu	piliu
GET	/women/tops-women.html	Mar 23rd 15:04:57	<b>158,002</b> μs	<b>149,360</b> μs	<b>8,066,640</b> bytes	<b>9,761,984</b> bytes
GET	/women/tops-women.html	Mar 23rd 15:04:33	<b>17,617,552</b> μs	<b>17,050,520</b> μs	<b>54,328,488</b> bytes	<b>54,895,184</b> bytes
	magento c:f	Mar 23rd 15:04:13	<b>3,582,055</b> μs	<b>3,480,468</b> μs	<b>22,462,976</b> bytes	<b>22,442,544</b> bytes
« 1 »						

© Paul Reinheimer & Mark Story 2012


 $1,000,000 \ \mu s = 1 \ second$ 

1,048,576 bytes = 1 MB



e: mage-messages=: recently viewed product=%7B%

9.319.960 bytes



6,360 bytes

-3,434,832 bytes

-1.259.408 bytes

183,904 bytes

0 bytes

0 bytes

1,336 bytes

952,928 bytes

106,519 µs

**105,493** μs

3.290.819 us 3.293.311 us

5,454,145 µs 5,320,686 µs

119,067 µs

111,583 µs

**6,360** bytes

2,235,672 bytes

22,228,616 bytes

38.592 bytes

0 bytes

0 bytes

952,928 bytes

17,860,864 bytes

21273

11357

6645

21082

Magento\Store\Model\Config\Placeholder:: setValue

Magento\Framework\Config\Dom::\_mergeNode@1

172.31.0.10 X | bjectManager\ObjectManager::get

106,519 µs

**102,872** μs

101.324 us


**99,336** µs

119,067 µs

**102,877** μs

84,560 us

87,772 µs





Local setup Profiles everything



Local setup Profiles everything

Not so fancy



Tideways php extension

Daemon for communication

Browser extension


Configuration needed


Token to identify


Hosted web interface


Also has APM functionality


30 day trial













More than a profiler Easy to use




More than a profiler Easy to use


Trial -> Paying



Blackfire php extension Daemon for communication Browser extension Configuration needed Token to identify Hosted web interface

Freemium





Relatively easy to use



Relatively easy to use

## Freemium

→ not all features











- Slow things



- Slow things
- popular things



- Slow things
- popular things
- application initialisation

# Analyse the profile

- hot path
- find the cause
- fix it
- **—** ...
- *E*









Slow code



Slow code Bad sal queries



Slow code Bad sal aueries Disk I/O



Slow code

Bad sql queries

Disk I/O

Bad external services



## First response Don't Panic



First response

Don't Panic

Add more CPU



First response

Don't Panic

Add more CPU

Add more RAM



First response

Don't Panic

Add more CPU

Add more RAM

Block malicious actors





When system is normalized

- Find slow parts
- Start profiling

## Some usefull tools in production

- Monitoring
- APM
- atop
- strace
- **—** ..





- find slower things while developing
- xhprof + xhqui
- don't trust profiles
   from systems under
   stress
- make popular pages cachable
- profile periodicaly

## Questions?

I'm Ike, Developer / Operations at Studio Emma





Docker West

Parchive

Blacklke Eagle



VdeBug

& herecura.eu



Thanks https://joind.in/talk/dc4Od

## I'm Ike, Developer / Operations at Studio Emma





Docker West

? Parchive

BlacklkeEagle

Archlinux TU

VdeBug

& herecura.eu

